

Pioneer Functional EFT Requirements

For technical specifications, please contact OpenInvoiceSupport@oildex.com or reference the OpenInvoice Resource Center for OpenInvoice Documents regarding Supplier Integration Guidelines.

| User Application Field Label | Indicate field requirement and buyer or supplier associated reference field | Field Format or Values | Description | PIDX xml Tag | JSON |
|------------------------------|---|------------------------|---|---|---------------------------|
| HEADER | | | | | |
| Ticket Number | Required, Supplier | Max 25 char | Ticket number should be sequential and consistent in format. | FieldTicket Properties /FieldTicketNumber | receiptNumber |
| Ticket Date | Required for PIDX xml Tag, Supplier | Date YYYY-MM-DD | The date upon which a field ticket was created or deemed to have been issued. | FieldTicket Properties /FieldTicketDate | Not Required for JSON |
| Supplier Site Name | Partial Required, Supplier | Max 50 char | Required where supplier may have multiple sites or entities enabled. Supplier site name should reflect associated invoice remittance name. Optional for PIDX xml Tag. | FieldTicket Properties /PartnerInformation partnerRoleIndicator ="RemitTo"/PartnerName | supplierParty/partyDUNS+4 |
| Seller DUNS | Required for PIDX xml Tag, Supplier | Max 9 char | A 9 digit code assigned by Dun & Bradstreet which uniquely identifies the Seller company. | FieldTicket Properties /PartnerInformation partnerRoleIndicator = sellertype partner/PartnerIdentifierpartnerIdentifierIndicator="DUNSNumber" | supplierParty/partyDUNS |

Pioneer Functional EFT Requirements

| | | | | | |
|-----------------|----------------------------------|---------------|--|---|----------------------|
| Buyer DUNS | Required for PIDX xml Tag, Buyer | "154679435" | | FieldTicket Properties /PartnerInformation partnerRoleIndicator =buyertype partner/PartnerIdentifierpartnerIdentifierIndicator="DUNSNumber" | buyerParty/partyDUNS |
| Price Book Name | Partial Required, Buyer | String | Contact CPCA@pxd.com with questions regarding pricing agreements. For PIDX xml Tag suppliers, Invalid contract references will result in a warning and contract will be dropped. | ReferenceInformationreferenceInformationIndicator ="Contract Number/ReferenceNumber" | contract/number |
| Currency | Required, Supplier | "USD" | | FieldTicket Properties /PrimaryCurrency/CurrencyCode | currencyCode |
| Description | Required, Supplier | Max 2000 char | Property name and detailed summary of job or service. | FieldTicket Properties /Comment | description |
| Location | Partial Required, Buyer | String | Pioneer representatives that received goods or validated services. Location is not required where "Requisitioner" is provided in header detail. | Line for PIDX xml Tag | location |

Pioneer Functional EFT Requirements

| | | | | | |
|---------------|-------------------------------------|-------------|--|--|-----------------|
| Requisitioner | Partial Required, Buyer | | <p>Pioneer representative that received goods or validated services. Requisitioner is not required where "location" is provided in line detail.</p> <p>Name of the requisitioner in the format Firstname Lastname. Where the field ticket import contains multiple requisitioners only the first will be used. Where the requisitioner is not resolveable to a specific user a warning will be returned to the supplier.</p> | Line for PIDX xml Tag | orderedByName |
| LINE | | | | | |
| Line Number | Required for PIDX xml Tag, Supplier | Max 10 char | A sequential individual line identifier within a document containing service or item information. Must be unique within the field ticket. | FieldTicket Lineltem/LineltemNumber | lineltemNumber |
| Requisitioner | Partial Required, Buyer | | <p>Pioneer representative that received goods or validated services. Requisitioner is not required where "location" is provided in line detail.</p> | FieldTicket Lineltem/PartnerInformation/ContactInformation/ContactName | Header for JSON |

Pioneer Functional EFT Requirements

| | | | | | |
|-----------------|-------------------------|--------------------------------------|--|---|--------------------|
| | | | Name of the requisitioner in the format Firstname Lastname. Where the field ticket import contains multiple requisitioners only the first will be used. Where the requisitioner is not resolvable to a specific user a warning will be returned to the supplier. | | |
| PO | Partial Required, Buyer | Alpha/Numeric | Required where product/services are associated to a Pioneer work order. | FieldTicket LineItem/PurchaseOrderInformation/PurchaseOrderNumber | poNumber |
| PO Line | Restricted | | | | |
| Service Start | Required, Supplier | MM/dd/yyyy or MM/dd/yyyy HH:mm | Time should be entered when associated to hourly charges. | FieldTicket LineItem/ServiceDate Time/ServicePeriodStart | serviceDateFrom |
| Service End | Required, Supplier | MM/dd/yyyy or MM/dd/yyyy HH:mm | Time should be entered when associated to hourly charges. | FieldTicket LineItem/ServiceDate Time/ServicePeriodEnd | serviceDateTo |
| Product/Service | Required, Supplier | Max 25 char | Must match a product/service code configured in OpenInvoice. For PIDX xml Tag suppliers, if no match is found the | FieldTicket LineItem/LineItemInformation/LineItemId entifierIdentifierIndicator="AssignedBySeller | productServiceCode |

Pioneer Functional EFT Requirements

| | | | | | |
|-------------|-------------------------|----------------------|--|--|-----------------|
| | | | default product/service will be used. | | |
| Description | Required, Supplier | Max 2000 char | The description of a product or service making up the line item. | FieldTicket LineItem/ lineItemIn formation/ LineItemD escription | description |
| Location | Partial Required, Buyer | String | Pioneer representatives that received goods or validated services. Location is not required where "Requisitioner" is provided in header detail. | FieldTicket LineItem/J obLocatio nInfor mation/W ellInforma tion/Well dentifier | Header for JSON |
| Quantity | Required, Supplier | Max 6 decimal places | The number of units of an item or service consumed. | FieldTicket LineItem/F ieldTicket Quantity/ Quantity | quantity |
| Units | Required, Supplier | Max 10 char | UOM Compliancy is enabled for Pioneer. UOM should match pricebook or predefined UOM. | FieldTicket LineItem/F ieldTicket Quantity/ UnitOfMe asureCode | unitOfMeasure |
| Rate | Required, Supplier | Max 6 decimal places | The unit price of the product or service being sold. | FieldTicket LineItem/P ricing/Unit Price/Mon etaryAmo unt | rate |
| Units | Required, Supplier | Max 10 char | UOM Compliancy is enabled for Pioneer. UOM should match pricebook or predefined UOM. | FieldTicket LineItem/P ricing/Unit Price/Unit OfMeasur eCode | unitOfMeasure |
| Project | Partial Required, Buyer | Numeric, 6 or 7 | Not required where product/services are related to a | FieldTicket Properties /Referenc eInformati on | afe/number |

Pioneer Functional EFT Requirements

| | | | | | |
|---|-------------------------------|--------------------------|--|---|------------------------------|
| | | | “Cost Center” charge only. | referen nformatio nIndicator = 'AFENumb er'/Refere nceNumbe r | |
| Cost Center | Required, Buyer | Numeric, 10 | Number associated to Pioneer location where service or delivery of goods was performed. | FieldTicket Properties /Referenc eInformati on referen nformatio nIndicator = 'CostCente r'/Referen ceNumber | costCenter/number |
| Major/Cost Code. Minor/ Cost Type | Partial Required, Buyer | Numeric, 4.4. or 4.2. | Use a dot “.” to separate major.minor.subco de values. Subcode should always be a null value. | Referen nformatio n referen nformatio nIndicator ="Operato rGeneralLe dgerCode" /Referenc eNumber | major/code minor/code |

*** “Partial Requirement, Buyer” will be required when provided to supplier.